



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/082,660	02/25/2002	Young Cho	V1025/20094	3650
3000	7590	06/07/2004	EXAMINER	
CAESAR, RIVISE, BERNSTEIN, COHEN & POKOTILOW, LTD. 12TH FLOOR, SEVEN PENN CENTER 1635 MARKET STREET PHILADELPHIA, PA 19103-2212			JUNG, WILLIAM C	
			ART UNIT	PAPER NUMBER
			3737	5

DATE MAILED: 06/07/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/082,660

Applicant(s)

CHO, YOUNG

Examiner

William Jung

Art Unit

3737

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM  
THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 25 February 2002.  
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.  
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-16 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.  
5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.  
6) ☒ Claim(s) 1-16 is/are rejected.  
7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.  
8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.  
10) ☒ The drawing(s) filed on 25 February 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)  
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)  
3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 4.  
4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.  
5) ☐ Notice of Informal Patent Application (PTO-152)  
6) ☐ Other: \_\_\_\_\_.

## DETAILED ACTION

### *Claim Rejections - 35 USC § 103*

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 7, and 14-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Siegel et al* (US 6,113,570) in view of *Venuto et al* (US 5,620,409).

Siegel et al substantially disclose all claimed features in claims 1, 7, and 14-16. Siegel et al teaches a method of removing thrombosis is fistulae ("a passage leading from one hollow organ to another and permitting passage of fluid," Merriam Webster Dictionary, tenth Edition), which is interpreted as a blood vessel. The reference consists an application of ultrasound to remove blood clots. However, Siegel et al fail to teach applying the clot removal to a microvessel in the kidney. Venuto et al teach a method of inhibiting clot formation by applying ultrasound to localized sections of the vasculature, including the kidney to prevent clotting (col. 4, lines 45-50). Therefore, it would have been obvious to one having an ordinary skill in the art at the time the invention was made to apply the teaching of Venuto et al clot prevention in kidney to improve the application of ultrasound as disclosed by Siegel et al's.

3. Claims 2-5 and 8-13 rejected under 35 U.S.C. 103(a) as being unpatentable over *Siegel et al* and *Venuto et al* as applied to claims 1 and 7 above, and further in view of *Uchiyama et al* (US 5,178,135).

Art Unit: 3737

Siegel et al and Venuto et al substantially disclose all claimed features in claims 2-6 and 8-13. However, neither Siegel et al nor Venuto et al disclose the placement of vibrator to the back of the patient. Uchiymama et al teach a calculi treatment with ultrasonic device that is applicable for use in the dissolution of thrombus (col. 23, lines 10-20) where the placement of the ultrasonic vibrator is applied to the back of the patient (figure 9). Therefore, it would have been obvious to one having an ordinary skill in the art at the time the invention was made to apply the teaching of Uchiymama et al application of ultrasound to the back of the patient to improvement the efficiency of the Siegel et al and Venuto et al's treatment of the kidney.

#### ***Conclusion***

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to William Jung whose telephone number is 703-605-4364. The examiner can normally be reached on Mon-Fri 8:30 AM to 5 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on 703-308-5181. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3737

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

May 28, 2004



**ANGELA D. SYKES  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3700**